

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A 280. 3479
M34P

POULTRY

Slaughtered Under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
January 1963

March 4, 1963

Inspected poultry - The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during January 1963 amounted to 163,639,000, compared with 137,204,000 in January 1962. The number of head and pounds (live weight) inspected by classes were: young chickens, 150,583,000 head, 525,172,000 pounds; mature chickens, 10,725,000 head, 49,240,000 pounds; fryer-roaster turkeys, 711,000 head, 6,411,000 pounds; young turkeys, 1,371,000 head, 32,163,000 pounds; old turkeys 34,000 head, 685,000 pounds; and ducks 215,000 head, 1,308,000 pounds.

Certified poultry - The quantity of poultry certified as wholesome in January 1963 totaled 442,959,000 pounds ready-to-cook weight of which 359,760,000 pounds were iced and 83,199,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 377,592,000 pounds; mature chickens, 33,379,000 pounds; fryer-roaster turkeys, 5,006,000 pounds; young turkeys, 25,459,000 pounds; old turkeys, 542,000 pounds; ducks, 965,000 pounds; and other poultry, 106,000 pounds.

Canned and processed poultry - Poultry inspected and used for canning and other processed food in January 1963 totaled 50,046,000 pounds ready-to-cook weight, compared with 39,359,000 pounds in January 1962. The quantity used in January 1963 consisted of 8,406,000 pounds of young chickens, 23,260,000 pounds of mature chickens, 13,816,000 pounds of turkeys and 4,564,000 pounds of other poultry.

Cut-up poultry - Poultry cut up and packaged in plants under Federal inspection in January 1963 was 72,473,000 pounds ready-to-cook weight, compared with 49,885,000 pounds in January 1962. The quantity consisted of 68,097,000 pounds of young chickens, 846,000 pounds of mature chickens, 3,381,000 pounds of turkeys and 149,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,644,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.26 percent; mature chickens, 0.41 percent; fryer-roaster turkeys, 0.42 percent; young turkeys, 0.16 percent; old turkeys, 0.17 percent.

Post-mortem condemnations in January 1963 amounted to 16,584,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.10 percent; mature chickens, 2.94 percent; fryer-roaster turkeys, 1.32 percent; young turkeys, 1.96 percent; old turkeys, 1.46 percent; and ducks 1.36 percent. In January 1962, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.09 percent; mature chickens, 2.76 percent; fryer-roaster turkeys, 1.77 percent; young turkeys, 2.08 percent; old turkeys, 1.59 percent; and ducks, 1.20 percent.

Beginning with this issue data are shown for poultry cut up and packaged in plants under Federal inspection. See page 12 for 1962 data by months.

Poultry: Slaughtered under Federal Inspection, January 1963 with comparisons

Class	Number inspected		Pounds inspected (live weight)		Average live weight	
	December		December		December	
	1962	1963	1962	1963	1962	1963
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds
Young chickens	128,739	123,388	150,583	424,060	525,172	3.44
Mature chickens	12,151	11,325	10,725	51,826	49,240	4.58
Total chickens	140,890	134,713	161,308	475,886	574,412	3.53
Fryer-roasters	1,353	852	711	7,382	6,411	8.66
Young turkeys	6,920	1,392	1,371	33,894	32,163	24.35
Old turkeys	34	76	34	1,473	685	19.38
Total turkeys	8,307	2,320	2,116	42,749	39,259	18.43
Ducks	427	171	215	1,022	1,308	5.98
Other poultry	---	---	---	140	184	---
Total poultry	---	---	---	519,797	615,163	---

Pounds certified (ready-to-cook weights)

Class	December 1962		January 1962		January 1963	
	December 1962		January 1962		January 1963	
	Iced	Frozen	Iced	Frozen	Iced	Frozen
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	283,145	39,751	322,896	31,597	332,043	45,459
Mature chickens	26,659	12,404	39,063	10,858	22,610	10,769
Total chickens	309,804	52,155	361,959	42,455	354,653	56,228
Fryer-roasters	1,758	7,446	9,204	5,084	493	4,513
Young turkeys	26,128	92,173	118,301	23,567	4,298	21,161
Old turkeys	39	486	525	1,065	34	508
Total turkeys	27,925	100,105	128,030	29,716	4,825	26,182
Ducks	183	1,670	1,853	582	281	684
Other poultry	12	247	259	75	1	105
Total poultry	337,924	154,177	492,101	72,828	359,760	83,199

Poultry: Condemnations of poultry slaughtered under Federal Inspection, January 1963 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Percent 1/		Pounds (N.Y. dressed wt.)		Percent 2/	
	1962	1963	1962	1963	1962	1963	1962	1963
Young chickens	1,000	1,000			1,000	1,000		
Mature chickens	1,155	1,363	0.27	0.26	11,763	14,621	3.09	3.10
Total chickens	200	201	.39	.41	1,282	1,296	2.76	2.94
	1,355	1,564	.28	.27	13,045	15,917	3.06	3.09
Fryer-roasters	40	27	.54	.42	117	76	1.77	1.32
Young turkeys	67	53	.20	.16	632	565	2.08	1.96
Old turkeys	3	1	.19	.17	21	9	1.59	1.46
Total turkeys	110	80	.26	.20	770	650	2.01	1.84
Ducks 3/	1	---	.06	---	11	16	1.20	1.36
Other poultry 3/	1	---	.36	---	1	1	.80	.60
Total	1,467	1,644	.28	.27	13,827	16,584	2.96	3.00

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

Poultry: Further processed or cut up under Federal Inspection, January 1963 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	December		January		December		January	
	1962	1963	1962	1963	1962	1963	1962	1963
Young chickens	1,000	1,000			1,000	1,000		
Further processed	6,569	5,736			3	10		5
Cut up	54,653	45,890			---	---		---
Mature chickens								
Further processed	18,722	20,004			10	15		13
Cut up	841	1,017			---	---		---
Turkeys								
Further processed	14,061	9,993			3	3		6
Cut up	4,108	2,874			---	---		---
Other poultry 2/								
Further processed	2,829	3,626			12	3		15
Cut up	115	104			---	---		---
Total								
Further processed	42,181	39,359			28	31		39
Cut up	59,717	49,885			---	---		---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry".

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, January 1962 and 1963

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
		1962	1963	1962	1963	1962	1963	1962	1963
		Thou.	1,000 pounds	Pounds	Pounds	1,000	1,000	Pounds	Percent
N. Atl.	12,707	13,279	53,115	3.88	4.00	35,005	38,115	1,067	2.24
E. N. Cent.	3,205	2,605	11,286	3.52	3.53	8,166	6,674	148	1.80
W. N. Cent.	3,839	4,198	12,837	3.34	3.33	9,011	9,821	414	3.31
S. Atl.	53,812	64,917	185,955	3.46	3.50	134,507	164,403	6,116	2.65
S. Cent.	46,489	61,410	152,862	3.29	3.37	109,028	148,050	6,229	3.35
West.	3,336	4,174	11,773	3.53	3.59	8,263	10,439	647	4.82
U. S.	123,388	150,583	424,060	3.44	3.49	303,980	377,502	14,621	3.10
Maine	5,306	5,430	20,623	3.89	4.03	14,962	16,232	366	1.87
Mass.	510	544	2,160	4.24	4.08	1,498	1,570	62	3.07
Conn. 3/	810	---	3,052	3.77	---	2,045	---	---	---
N. J.	28	26	132	4.72	4.83	32	36	1	1.13
Pa.	5,248	6,080	20,167	3.84	3.99	14,356	17,334	531	2.44
Ohio	902	686	3,233	3.58	3.69	2,335	1,823	46	2.03
Ind.	1,245	1,016	4,139	3.32	3.15	3,018	2,302	44	1.43
Ill.-Mich. 3/4/	153	601	---	3.93	---	441	---	---	---
Wis.	905	859	3,313	3.66	3.72	2,372	2,342	48	1.63
Minn. 3/	795	---	2,804	3.53	---	2,039	---	---	---
Iowa	60	100	274	4.53	4.26	200	297	4	1.87
Mo.	2,964	3,322	9,689	3.27	3.27	6,719	7,589	315	3.23
Del.	6,619	7,535	25,121	3.80	3.92	17,695	21,677	716	2.70
Md.	8,059	9,486	30,213	3.75	3.84	21,616	26,256	711	2.18
Va.	4,223	4,282	12,609	2.99	2.93	8,956	8,867	225	1.98
N. C.	12,556	16,428	43,523	3.46	3.45	31,978	41,562	907	2.32
S. C.	1,517	1,426	5,087	3.35	3.34	3,563	3,395	157	2.44
Ga.	20,235	24,877	67,584	3.34	3.38	49,361	60,536	2,935	3.89
Ky.	1,250	1,740	4,300	3.44	3.38	2,945	4,098	175	3.32
Tenn.	3,794	4,193	12,898	3.40	3.50	9,204	10,616	513	3.89
Ala.	11,170	14,141	37,388	3.35	3.37	27,192	34,737	1,584	3.28
Miss.	8,198	10,933	26,702	3.26	3.36	19,338	26,644	1,000	3.03
Ark.	15,249	18,986	49,375	3.24	3.31	34,506	44,075	2,164	3.83
La.-Okla. 4/	1,549	2,852	5,116	3.30	3.45	3,655	7,024	304	2.68
Texas	5,279	8,565	17,083	3.24	3.41	12,188	20,856	668	3.54
Idaho	362	349	1,227	3.39	3.37	893	848	24	2.20
Utah 3/	---	34	105	---	3.13	---	78	---	---
Wash.	496	586	1,715	3.45	3.51	1,194	1,466	36	1.89
Calif.	2,398	3,205	8,564	3.57	3.64	5,986	8,047	587	5.63

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, January 1963

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver infection	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	1	37,471	66,236	72,346	25,401	835	2	2,455	5,340	9,491	707	3	57,094	277,382
E. N. Cent.	---	1,468	7,622	24,942	2,584	124	3	969	2,305	2,195	181	1	7,742	50,136
W. N. Cent.	---	798	11,613	75,655	18,715	183	4	1,518	3,327	5,625	345	341	25,715	143,839
S. Atl.	---	76,648	94,024	923,484	62,790	2,588	26	11,345	48,748	67,216	6,827	1,871	615,873	1,911,440
S. Cent.	---	61,435	94,672	1,170,488	44,154	3,469	240	14,924	60,505	65,386	5,029	1,875	355,943	1,878,120
West.	---	1,287	22,202	105,378	14,210	1,636	5	1,319	2,336	6,311	787	10	69,691	225,172
U. S.	1	179,107	296,369	2,372,293	167,854	8,835	280	32,530	122,561	156,224	13,876	4,101	1,132,058	4,486,089
Maine	---	8,705	25,667	14,519	15,677	129	---	1,209	1,854	4,074	147	---	16,363	88,344
Mass.	---	1,898	5,109	2,476	928	296	---	176	167	312	40	---	2,078	13,480
N. J.	---	62	10	2	5	2	---	---	---	---	---	3	238	322
Pa.	---	19,381	28,717	48,449	7,902	383	2	805	3,079	3,562	520	---	32,802	145,602
Ohio	---	370	2,258	4,672	1,055	30	---	149	1,260	374	37	1	4,573	14,779
Ind.	---	818	4,556	7,597	830	30	2	211	518	1,158	128	---	720	16,568
Wis.	---	225	622	12,577	574	56	1	592	465	640	12	---	2,448	18,212
Iowa	---	81	4,843	1,151	140	---	---	302	19	595	---	---	2	7,133
Mo.	---	696	5,287	67,212	17,958	150	1	1,038	2,072	4,190	335	341	16,518	115,798
Del.	---	30,139	33,281	73,452	11,719	761	---	860	3,694	4,275	1,012	2	49,128	208,323
Ma.	---	3,912	2,996	55,011	14,789	871	---	1,468	6,767	5,872	693	56	111,684	204,119
Va.	---	998	8,783	42,539	5,867	28	---	238	962	2,036	389	---	48,612	110,452
N. C.	---	14,137	30,598	197,585	7,379	356	7	3,683	12,839	12,521	1,289	29	127,534	407,957
S. C.	---	368	692	28,005	517	52	---	414	1,266	2,706	293	149	14,699	49,161
Ge.	---	24,942	15,586	511,577	22,113	499	19	4,560	22,805	39,382	3,145	1,635	257,579	903,842
Ky.	---	1,130	6,688	45,971	745	43	---	574	2,660	1,457	195	---	7,268	66,731
Tenn.	---	6,763	3,258	81,292	1,257	51	---	779	5,620	10,671	412	188	45,670	155,961
Ala.	---	11,157	8,366	303,608	404	254	---	2,129	9,915	17,158	205	296	92,023	445,515
Miss.	---	24,659	12,580	180,042	1,035	412	1	2,366	9,877	10,884	1,503	87	65,249	308,695
Ark.	---	4,214	13,381	404,863	19,110	1,265	235	4,117	19,459	15,014	1,553	1,247	124,041	608,499
La.-Okla. 1/	---	3,700	12,005	55,159	5,063	420	4	1,353	4,076	2,890	358	3	3,461	88,492
Texas	---	9,812	38,394	99,553	16,540	1,024	---	3,606	8,898	7,312	803	54	18,231	204,227
Idaho	---	69	2,147	6,327	56	9	3	118	208	245	72	---	1,132	10,386
Utah	---	6	29	---	10	3	2	7	3	3	---	1	4	68
Wash.	---	272	5,867	1,788	546	15	---	107	163	333	42	1	2,471	11,605
Calif.	---	940	14,159	97,263	13,598	1,609	---	1,087	1,962	5,730	673	8	66,084	203,113

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, January 1962 and 1963

Region and State	Number inspected	Pounds		Average		Total pounds		Post-mortem condemnations	
		1962	1963	1962	1963	1962	1963	1962	1963
		Thou.	Thou.	Pounds	Pounds	certified (Ready-to-cook wt.)	pounds	pounds	Percent
N. Atl.	1,908	1,881	9,760	5.12	4.97	1,000	6,752	143	1.63
E. N. Cent.	1,690	1,682	6,963	4.31	4.14	1,000	5,826	164	2.52
W. N. Cent.	1,984	2,089	8,394	4.23	4.28	1,000	5,636	254	3.39
S. Atl.	2,737	1,817	12,735	4.65	5.09	1,000	9,015	280	2.45
S. Cent.	1,857	1,716	8,210	4.71	4.78	1,000	5,599	297	3.79
West.	1,149	1,540	4,918	4.28	4.25	1,000	3,291	144	3.26
U. S.	11,325	10,725	51,826	4.58	4.59	36,553	33,379	1,282	2.76
Maine	229	254	1,383	6.04	6.18	1,007	1,149	32	2.55
Conn. 3/	118	---	732	6.22	---	510	---	12	1.80
N.Y.	208	150	936	4.50	4.34	695	489	10	1.25
N.J.	651	747	2,622	4.03	4.01	1,634	1,860	33	1.41
Pa.	319	355	1,803	5.66	5.42	1,278	1,305	18	1.12
Ohio	464	402	1,990	4.29	4.29	1,457	1,211	40	2.29
Ind.	590	629	2,599	4.41	4.12	1,856	1,774	57	2.47
Ill.	492	534	1,992	4.05	4.01	1,805	1,413	51	2.90
O. Mich.	27	42	115	4.32	4.25	67	107	3	2.06
Wis.	117	75	582	4.96	4.43	641	318	13	2.50
Minn.	599	703	2,494	4.16	4.12	1,633	1,864	103	4.63
Iowa	183	126	753	4.11	4.14	532	353	16	2.34
Mo.	747	735	3,296	4.41	4.71	2,257	2,318	67	2.29
Nebr.	431	508	1,730	4.01	3.90	1,136	1,308	65	4.17
Del.	15	25	94	6.25	7.04	66	129	3	3.70
Md. 3/	356	---	1,440	4.04	---	999	---	47	3.64
Va.	239	163	1,217	5.10	5.41	853	640	21	1.99
N.C.	1,172	608	5,297	4.52	5.33	3,784	2,240	90	1.88
S.C.	43	21	244	5.68	6.07	174	92	8	3.63
Ga.	772	529	3,991	5.04	5.50	2,766	1,997	97	2.77
Ky. 3/	156	---	657	4.21	---	461	---	15	2.54
Tenn.	246	485	1,317	5.35	4.47	917	1,459	31	2.65
Ala.	439	209	1,877	4.27	4.30	1,306	649	65	3.90
Miss.	124	124	705	5.68	5.20	503	465	19	2.94
Ark.	202	203	1,272	6.30	6.45	871	893	46	4.03
La.-Okla. 4/	259	182	1,086	4.19	5.53	744	682	48	4.93
Texas	431	430	1,827	4.23	4.36	1,231	1,243	73	4.41
Idaho	10	22	46	4.56	5.34	31	81	2	4.10
Utah	47	38	165	3.61	3.61	114	99	2	1.30
Wash.	123	135	510	4.16	4.37	328	385	10	2.16
Calif.	925	1,345	4,018	4.35	4.24	2,687	3,735	125	3.46

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent M. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, January 1963

Region and State	Tuber- cullosis	Leu- cosis	Septi- cemia	Airesc- culitis	Inflam- matory	Tumors	Parasites	Brui- ses	Cadaver: inaction	Contam- scald	Decom- position	Other	Total
N.Atl.	No. 362	No. 1,359	No. 6,865	No. 570	No. 4,339	No. 2,010	No. 5	No. 379	No. 1,037	No. 2,424	No. 54	No. 11,280	No. 30,599
E.N.Cent.	3,217	3,362	14,936	226	4,943	5,845	276	1,215	2,027	3,410	246	3,546	43,775
W.N.Cent.	11,250	3,930	19,618	240	10,470	5,031	830	964	1,005	3,047	258	18,370	75,198
S.Atl.	17	1,802	11,625	582	5,868	2,573	112	591	2,107	3,41	341	27,194	56,380
S.Cent.	23	2,516	10,704	1,164	11,841	2,257	218	563	1,873	7,952	98	36,707	75,953
West.	3	759	18,397	550	9,222	5,771	547	2,536	956	3,425	369	21,099	63,642
U.S.	14,872	13,728	82,145	3,332	46,683	23,487	1,988	6,248	9,005	23,784	1,366	118,196	345,647
Maine	---	110	1,753	3	1,319	270	---	45	67	479	6	214	4,266
N.Y.	---	189	706	---	355	362	---	56	210	110	13	597	2,606
N.J.	216	340	956	183	239	514	---	123	453	463	8	6,899	10,394
Pa.	5	313	1,013	380	1,107	376	---	86	240	645	25	1,211	5,407
Ohio	506	1,551	3,040	62	1,757	1,204	45	135	955	541	11	1,641	11,451
Ind.	994	1,037	4,732	75	1,952	2,662	170	376	397	1,028	100	763	14,286
Ill.	1,210	544	6,718	30	711	1,496	58	540	556	1,601	133	475	14,595
Mich.	46	62	326	57	51	287	---	128	78	58	1	---	1,094
Wis.	461	168	120	2	472	196	3	36	41	182	1	667	2,349
Minn.	4,586	562	5,644	14	4,048	2,354	587	300	293	1,037	149	10,214	29,829
Iowa	606	258	1,819	---	410	112	20	48	110	131	19	1,160	4,693
Mo.	467	953	5,427	201	2,264	1,487	144	373	512	1,181	62	5,752	18,942
Nebr.	5,411	2,148	6,581	19	3,594	1,070	53	218	76	663	24	906	20,788
Del.	---	44	226	4	136	32	---	4	34	16	---	166	662
Va.	---	10	358	21	916	305	---	14	46	139	1	1,753	3,563
N.C.	---	197	2,576	16	1,303	236	---	108	744	1,146	142	9,414	15,883
S.C.	---	17	45	3	17	12	---	11	53	77	---	753	988
Ga.	---	272	1,082	41	446	1,377	---	101	533	1,621	42	14,470	20,026
Tenn.	2	653	4,018	159	2,957	353	2	166	817	2,793	10	11,053	23,015
Ala.	---	78	419	132	49	153	---	40	218	617	1	7,900	9,608
Miss.	---	42	399	40	16	58	---	24	100	679	4	2,042	3,407
Ark.	---	51	88	164	708	168	---	48	170	688	56	3,379	5,520
La.-Okla. 1/	7	686	4,341	9	2,887	687	216	63	233	1,072	12	484	10,697
Texas	---	973	1,409	71	5,220	659	---	194	326	1,883	15	10,452	21,203
Idaho	---	65	380	29	20	35	---	16	10	31	1	19	606
Utah	---	26	162	2	10	5	---	4	12	4	---	---	225
Wash.	3	170	2,137	---	452	468	---	33	27	188	16	1,097	4,591
Calif.	---	498	15,718	519	8,740	5,263	547	2,483	907	3,202	352	19,983	58,220

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, January 1962 and 1963

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations				
	1962 : 1963		1962 : 1963		1962 : 1963		1962 : 1963		1962 : 1963		1962 : 1963		
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	pounds	pounds	Percent	Percent	
N.Atl.	73	51	2,028	1,354	27.78	26.55	1,651	1,103	10	9	0.55	0.74	
E.N.Cent.	83	106	1,431	1,832	17.24	17.28	1,138	1,469	24	18	1.87	1.09	
W.N.Cent.	120	136	2,182	1,822	18.18	13.40	1,724	1,441	50	32	2.56	1.96	
S.Atl.	148	160	3,267	2,837	22.07	17.73	2,623	2,276	31	25	1.06	.98	
S.Cent.	179	152	4,326	4,054	24.17	26.67	3,391	3,216	95	49	2.44	1.34	
West.	789	766	20,660	20,264	26.19	26.45	16,472	15,954	422	432	2.27	2.37	
U. S.	1,392	1,371	33,894	32,163	24.35	23.46	26,999	25,459	632	565	2.08	1.96	
Pa.	68	43	1,883	1,160	27.90	26.91	1,544	947	9	9	.54	.84	
Ohio	28	33	448	680	16.05	20.71	358	551	7	5	1.67	.85	
Ind.	12	12	257	198	20.59	17.16	203	160	8	2	3.26	1.19	
Ill.-Mich. 3/	10	12	218	208	21.80	17.33	176	165	2	3	1.02	1.60	
Wis.	33	49	508	746	15.46	15.35	401	593	7	8	1.53	1.10	
Minn.	55	91	827	1,288	15.04	14.19	644	1,023	26	21	3.54	1.80	
Iowa	31	28	572	278	18.59	9.87	449	219	10	5	1.85	2.30	
Mo. 4/	10	2	235	30	23.50	15.00	192	23	3	---	1.42	---	
Nebr. 5/	19	---	456	---	24.44	---	367	---	10	---	2.40	---	
Va.	10	40	238	465	24.15	11.78	176	350	2	7	1.08	1.69	
N.C.	100	100	2,325	2,184	23.15	21.80	1,880	1,776	24	18	1.14	.91	
Ga. 5/	19	---	365	---	19.56	---	293	---	4	---	.98	---	
Ky. 5/	20	---	402	---	20.32	---	301	---	4	---	1.15	---	
Ark.	13	20	313	463	24.54	23.67	239	356	6	14	2.12	3.29	
Okla. 5/	30	---	706	---	23.31	---	556	---	24	---	3.79	---	
Texas	113	107	2,815	2,968	24.84	27.81	2,223	2,368	61	20	2.41	1.00	
Utah	41	30	802	691	19.71	23.21	644	557	6	19	.96	3.06	
Wash. 5/	1	---	30	---	23.95	---	21	---	---	---	---	---	
Oreg. 5/	---	7	---	157	---	21.88	---	124	---	2	---	1.73	---
Calif.	723	720	19,340	19,206	26.74	26.68	15,414	15,100	408	411	2.35	2.38	

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Dashes mean less than 500 head or 500 pounds.

5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, January 1963

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver sites	No.	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	1	144	93	16	---	---	16	12	21	---	---	13	---	316
E. N. Cent.	---	4	249	280	320	---	---	15	57	29	2	---	122	---	1,078
W. N. Cent.	---	---	377	700	98	1	---	25	45	89	6	135	746	---	2,222
S. Atl.	---	---	241	106	413	---	---	25	29	104	7	---	619	---	1,544
S. Cent.	---	38	765	486	250	2	---	12	22	54	2	1	324	---	1,957
West.	---	14	5,419	5,631	2,375	27	---	176	94	407	39	2	6,603	---	20,787
U. S.	---	57	7,195	7,296	3,472	30	1	269	259	704	56	138	8,427	---	27,904
Pa.	---	1	125	92	13	---	---	10	8	15	---	---	12	---	276
Ohio	---	2	40	27	232	---	---	12	32	6	2	---	2	---	355
Ind.	---	---	82	72	8	---	---	---	5	5	---	---	1	---	173
Ill.-Mich. 1/	---	---	58	23	33	---	---	---	17	---	---	---	---	---	131
Wis.	---	2	69	158	47	---	---	3	3	18	---	---	119	---	419
Minn.	---	---	279	436	70	1	---	10	28	60	---	---	624	---	1,508
Iowa	---	---	71	47	13	---	---	6	8	5	---	135	17	---	302
Mo.	---	---	1	3	5	---	---	---	---	3	---	---	2	---	14
Va.	---	---	9	57	146	---	---	1	6	1	---	---	340	---	560
N. C.	---	---	190	49	262	---	---	21	22	98	2	---	278	---	922
Ark.	---	---	11	167	3	1	---	4	1	8	---	---	203	---	398
Texas	---	34	641	233	210	1	---	8	15	16	---	---	59	---	1,217
Utah	---	---	252	115	21	---	---	11	---	4	---	---	848	---	1,251
Oreg.	---	---	55	36	21	---	---	---	---	---	---	---	---	---	114
Calif.	---	14	5,108	5,474	2,329	27	---	162	86	400	39	---	5,749	---	19,388

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, January 1962 and 1963

Region and State	Number inspected		Pounds inspected		Average live weight inspected		Total pounds certified		Post-mortem condemnations	
	1962		1963		1962		1963		1962	
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	1	11	---	---	11.00	---	---	---	---	---
E. N. Cent.	235	2,109	1,545	---	8.97	1,638	1,221	26	1.38	---
W. N. Cent.	560	4,788	3,902	---	8.55	3,761	3,040	84	1.96	0.86
S. Atl. 3/	17	45	146	437	8.59	9.71	332	2	1.52	1.63
S. Cent.	15	117	413	---	7.80	8.43	324	5	---	.76
West. 3/	24	211	114	---	8.79	8.77	89	---	2.64	1.08
U.S.	852	711	7,382	6,411	8.66	9.02	5,006	117	---	---
Ohio	32	15	302	129	9.35	8.80	228	4	1.77	1.32
Wis.	194	133	1,711	1,197	8.82	8.99	1,337	1	1.30	.90
Minn.	530	410	4,551	3,705	8.59	9.04	3,574	21	1.37	1.00
Va.	16	33	137	317	8.69	9.53	239	81	2.00	1.72
Ark.	---	36	---	300	---	8.37	234	2	1.56	1.20
Calif. 4/	14	131	---	---	9.08	---	95	---	---	1.39
	---	---	---	---	---	---	---	5	5.05	---

Fryer-roaster turkeys: Number condemned post mortem by cause, by regions and selected States, January 1963

Region and State	Tuber-	Leu-	Septi-	Airsac-	Inflam-	Tumors	Para-	Bruises	Cadaver-	Contam-	Over-	Decom-	Other	Total
	: coulis:	: cosis:	: cemia:	: culitis:	: matory:	:	: sites:	:	: injection:	: scalp:	: position:	:	:	:
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	3	266	260	105	---	---	25	46	---	---	---	418	1,217
W. N. Cent.	---	1	2,157	946	123	1	3	82	125	92	2	---	2,379	6,263
S. Atl.	---	---	19	154	32	---	---	5	23	444	2	---	91	329
S. Cent.	---	2	46	104	44	---	---	8	5	5	---	---	268	508
West.	---	---	13	3	---	---	---	4	10	31	3	---	4	61
U. S.	---	6	2,501	1,467	304	1	3	124	209	596	7	---	3,160	8,378
Ohio	---	---	14	29	23	---	---	---	16	5	---	---	22	109
Wis.	---	3	240	223	79	---	---	25	26	85	2	---	395	1,078
Minn.	---	1	2,134	910	95	1	3	81	121	424	1	---	2,367	6,138
Va.	---	---	5	154	32	---	---	5	19	3	---	---	86	304
Ark.	---	1	25	104	12	---	---	8	4	31	---	---	268	453

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, January 1962 and 1963

Region and State	Post-mortem condemnations									
	Number inspected		Average live weight		Total pounds		Pounds (NYD)		Percent	
	1962	1963	1962	1963	1962	1963	1962	1963	1962	1963
	Thou.	Thou.	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	17	8	276	141	16.24	18.10	218	111	1.61	1.92
W. N. Cent.	26	12	446	207	17.15	17.25	363	163	1.50	2.15
S. Atl. 3/	5	1	88	26	17.60	20.05	66	20	3.79	---
S. Cent. 3/	2	---	39	20	19.50	---	27	16	---	---
West.	26	13	624	291	24.00	22.38	499	232	1.43	1.15
U. S.	76	34	1,473	685	19.38	20.15	1,173	542	1.59	1.46
Minn.	26	12	441	205	17.17	17.07	359	162	1.35	1.86
Va. 3/ 4/	---	1	---	20	---	20.95	---	15	---	---
Calif.	25	9	607	229	24.19	24.69	486	183	1.34	1.11

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, January 1963

Region and State	Tuber-		Leu-		Septi-		Airsac-		Inflam-		Tumors		Para-		Bruises		Cadaver		Contam-		Over-		Decom-		Other		Total	
	culosis		coccidia		culitis		maternity		sites		sites		sites		sites		sites		sites		sites		sites		sites		sites	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	4	20	19	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. Cent.	---	---	61	34	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. Cent.	---	---	3	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
West.	---	2	49	27	22	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
U. S.	---	6	135	81	78	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Minn.	---	---	60	34	27	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Va.	---	---	2	---	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Calif.	---	1	32	18	10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Dashes mean less than 500 head or 500 pounds.
 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
 STATISTICAL REPORTING SERVICE
 WASHINGTON 25, D. C.

POSTAGE AND FEES PAID
 U.S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Poultry: Cut up and packaged under Federal Inspection, 1962

Class	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	45,890	39,007	49,235	51,049	60,088	56,809	57,321	63,575	60,240	63,516	60,700	54,653	662,083
Mature chickens	1,017	2,068	1,108	843	638	1,180	657	630	757	1,309	761	841	11,809
Turkey	2,874	1,988	1,692	1,958	2,439	2,785	2,627	3,101	3,748	4,914	5,139	4,108	37,373
Other poultry	104	270	134	81	154	376	261	255	173	138	152	115	2,213
Total	49,885	43,333	52,169	53,931	63,319	61,150	60,866	67,561	64,918	69,877	66,752	59,717	713,478